

Coronavirus disease 2019 (COVID-19)

Situation Report – 34

Data as reported by 10AM CET 23 February 2020*

HIGHLIGHTS

- No new countries reported cases of COVID-19 in the past 24 hours.

SITUATION IN NUMBERS

total and new cases in last 24 hours

Globally

78 811 confirmed (1017 new)

China

77 042 confirmed (650 new)

2445 deaths (97 new)

Outside of China

1769 confirmed (367 new)


28 countries

17 deaths (6 new)

WHO RISK ASSESSMENT

China	Very High
Regional Level	High
Global Level	High

Figure 1. Countries, territories or areas with reported confirmed cases of COVID-19, 23 February 2020



*The situation report includes information provided by national authorities as of 10 AM Central European Time

SURVEILLANCE

Table 1. Confirmed and suspected cases of COVID-19 acute respiratory disease reported by provinces, regions and cities in China, 23 February 2020

Province/ Region/ City	Population (10,000s)	Daily			Cumulative	
		Confirmed cases	Suspected cases	Deaths	Confirmed cases	Deaths
Hubei	5917	630	631	96	64084	2346
Guangdong	11346	3	0	1	1342	6
Henan	9605	1	12	0	1271	19
Zhejiang	5737	0	2	0	1205	1
Hunan	6899	3	0	0	1016	4
Anhui	6324	0	0	0	989	6
Jiangxi	4648	0	0	0	934	1
Shandong	10047	4	2	0	754	4
Jiangsu	8051	0	0	0	631	0
Chongqing	3102	1	21	0	573	6
Sichuan	8341	0	15	0	526	3
Heilongjiang	3773	1	0	0	480	12
Beijing	2154	0	35	0	399	4
Shanghai	2424	1	52	0	335	3
Hebei	7556	2	0	0	311	6
Fujian	3941	0	0	0	293	1
Guangxi	4926	0	12	0	249	2
Shaanxi	3864	0	2	0	245	1
Yunnan	4830	0	11	0	174	2
Hainan	934	0	14	0	168	4
Guizhou	3600	0	0	0	146	2
Tianjin	1560	2	51	0	135	3
Shanxi	3718	0	1	0	132	0
Liaoning	4359	0	13	0	121	1
Jilin	2704	0	7	0	91	1
Gansu	2637	0	0	0	91	2
Xinjiang	2487	0	0	0	76	2
Inner Mongolia	2534	0	0	0	75	0
Ningxia	688	0	1	0	71	0
Hong Kong SAR	745	2	0	0	70	2
Taipei and environs	2359	0	0	0	26	1
Qinghai	603	0	0	0	18	0
Macao SAR	66	0	0	0	10	0
Xizang	344	0	0	0	1	0
Total	142823	650	882	97	77042	2445

Table 2. Countries, territories or areas outside China with reported laboratory-confirmed COVID-19 cases and deaths. Data as of 23 February 2020


Country/Territory/Area	Confirmed cases (new)	Likely place of exposure [†]			Total cases with site of transmission under investigation (new)	Total deaths (new)
		China (new)	Outside reporting country and outside China (new)	In reporting country (new)		
Western Pacific Region						
Republic of Korea	602 (256)	13 (0)	4 (0)	353 (65)	232 (191)	5 (3)
Japan	132 (27)	28 (0)	5 (0)	92 (24)	7 (3)	1 (0)
Singapore	89 (3)	24 (1)	0 (0)	58 (2)	7 (0)	0 (0)
Australia	22 (1)	12 (0)	7 (1)	3 (0)	0 (0)	0 (0)
Malaysia	22 (0)	17 (0)	1 (0)	2 (0)	2 (0)	0 (0)
Viet Nam	16 (0)	8 (0)	0 (0)	8 (0)	0 (0)	0 (0)
Philippines	3 (0)	3 (0)	0 (0)	0 (0)	0 (0)	1 (0)
Cambodia	1 (0)	1 (0)	0 (0)	0 (0)	0 (0)	0 (0)
South-East Asia Region						
Thailand	35 (0)	23 (0)	0 (0)	5 (0)	7 (0)	0 (0)
India	3 (0)	3 (0)	0 (0)	0 (0)	0 (0)	0 (0)
Nepal	1 (0)	1 (0)	0 (0)	0 (0)	0 (0)	0 (0)
Sri Lanka	1 (0)	1 (0)	0 (0)	0 (0)	0 (0)	0 (0)
Region of the Americas						
United States of America	35 (0)	14 (0)	18 (0)	2 (0)	1 (0)	0 (0)
Canada	9 (1)	7 (0)	1 (1)	0 (0)	1 (0)	0 (0)
European Region						
Italy	76 (67)	3 (0)	0 (0)	9 (3)	64 (64)	2 (2)
Germany	16 (0)	2 (0)	0 (0)	14 (0)	0 (0)	0 (0)
France	12 (0)	5 (0)	0 (0)	7 (0)	0 (0)	1 (0)
The United Kingdom	9 (0)	2 (0)	6 (0)	1 (0)	0 (0)	0 (0)
Russian Federation	2 (0)	2 (0)	0 (0)	0 (0)	0 (0)	0 (0)
Spain	2 (0)	0 (0)	2 (0)	0 (0)	0 (0)	0 (0)
Belgium	1 (0)	1 (0)	0 (0)	0 (0)	0 (0)	0 (0)
Finland	1 (0)	1 (0)	0 (0)	0 (0)	0 (0)	0 (0)
Israel	1 (0)	0 (0)	1 (0)	0 (0)	0 (0)	0 (0)
Sweden	1 (0)	1 (0)	0 (0)	0 (0)	0 (0)	0 (0)
Eastern Mediterranean Region						
Iran (Islamic Republic of)	28 (10)	0 (0)	0 (0)	18 (0)	10 (10)	5 (1)
United Arab Emirates	13 (2)	6 (0)	2 (2)	5 (0)	0 (0)	0 (0)
Egypt	1 (0)	0 (0)	0 (0)	1 (0)	0 (0)	0 (0)
Lebanon	1 (0)	0 (0)	1 (0)	0 (0)	0 (0)	0 (0)
Subtotal for all regions	1135 (367)	178 (1)	48 (4)	578 (94)	331 (268)	15 (6)
International conveyance [‡] (Diamond Princess)	634 (0)	0 (0)	0 (0)	0 (0)	634 (0)	2 (0)
Grand total	1769 (367)	178 (1)	48 (4)	578 (94)	965 (268)	17 (6)

*Case classifications are based on [WHO case definitions](#) for COVID-19.

[†]Location of transmission is classified based on WHO analysis of available official data and may be subject to reclassification as additional data become available.


[‡]Cases identified on a cruise ship currently in Japanese territorial waters.

Figure 2. Epidemic curve of COVID-19 cases (n=284) identified outside of China, by date of onset of symptoms and likely exposure location, 23 February 2020



Note for figure 2: Of the 1769 cases reported outside China, 32 were detected while apparently asymptomatic. For the remaining 1737 cases, information on date of onset is available only for the 284 cases presented in the epidemiologic curve.

Figure 3. Epidemic curve of COVID-19 cases (n=1769) identified outside of China, by date of report and likely exposure location, 23 February 2020



STRATEGIC OBJECTIVES

WHO's strategic objectives for this response are to:

- Limit human-to-human transmission including reducing secondary infections among close contacts and health care workers, preventing transmission amplification events, and preventing further international spread from China*;
- Identify, isolate and care for patients early, including providing optimized care for infected patients;
- Identify and reduce transmission from the animal source;
- Address crucial unknowns regarding clinical severity, extent of transmission and infection, treatment options, and accelerate the development of diagnostics, therapeutics and vaccines;
- Communicate critical risk and event information to all communities and counter misinformation;
- Minimize social and economic impact through multisectoral partnerships.

*This can be achieved through a combination of public health measures, such as rapid identification, diagnosis and management of the cases, identification and follow up of the contacts, infection prevention and control in health care settings, implementation of health measures for travelers, awareness-raising in the population and risk communication.

PREPAREDNESS AND RESPONSE

- To view all technical guidance documents regarding COVID-19, please go to [this webpage](#).
- WHO is working closely with International Air Transport Association (IATA) and have jointly developed a guidance document to provide advice to cabin crew and airport workers, based on country queries. The guidance can be found on the [IATA webpage](#).
- WHO has developed a protocol for the investigation of early cases (the "[First Few X \(FFX\) Cases and contact investigation protocol for 2019-novel coronavirus \(2019-nCoV\) infection](#)"). The protocol is designed to gain an early understanding of the key clinical, epidemiological and virological characteristics of the first cases of COVID-19 infection detected in any individual country, to inform the development and updating of public health guidance to manage cases and reduce potential spread and impact of infection.
- WHO has been in regular and direct contact with Member States where cases have been reported. WHO is also informing other countries about the situation and providing support as requested.
- WHO has developed interim guidance for [laboratory diagnosis, advice on the use of masks during home care and in health care settings in the context of the novel coronavirus \(2019-nCoV\) outbreak, clinical management, infection prevention and control in health care settings, home care for patients with suspected novel coronavirus, risk communication and community engagement](#) and [Global Surveillance for human infection with novel coronavirus \(2019-nCoV\)](#).
- WHO has prepared [disease commodity package](#) that includes an essential list of biomedical equipment, medicines and supplies necessary to care for patients with 2019-nCoV.
- WHO has provided recommendations to reduce risk of [transmission from animals to humans](#).
- WHO has published an [updated advice for international traffic in relation to the outbreak of the novel coronavirus 2019-nCoV](#).
- WHO has activated of R&D blueprint to accelerate diagnostics, vaccines, and therapeutics.
- WHO has developed online courses on the following topics: [A general introduction to emerging respiratory viruses](#), including novel coronaviruses (available in [French](#), [Chinese](#), and [Spanish](#)); [Critical Care of Severe Acute Respiratory Infections](#); and [Health and safety briefing for respiratory diseases - ePROTECT](#)
- WHO is providing guidance on early investigations, which are critical to carry out early in an outbreak of a new virus. The data collected from the protocols can be used to refine recommendations for surveillance and case definitions, to characterize the key epidemiological transmission features of COVID-19, help understand spread,

severity, spectrum of disease, impact on the community and to inform operational models for implementation of countermeasures such as case isolation, contact tracing and isolation. Several protocols are available here:

<https://www.who.int/emergencies/diseases/novel-coronavirus-2019/technical-guidance/early-investigations>

- WHO is working with its networks of researchers and other experts to coordinate global work on surveillance, epidemiology, modelling, diagnostics, clinical care and treatment, and other ways to identify, manage the disease and limit onward transmission. WHO has issued interim guidance for countries, which are updated regularly.
- WHO is working with global expert networks and partnerships for laboratory, infection prevention and control, clinical management and mathematical modelling.

RECOMMENDATIONS AND ADVICE FOR THE PUBLIC

During previous outbreaks due to other coronavirus (Middle-East Respiratory Syndrome (MERS) and Severe Acute Respiratory Syndrome (SARS), human-to-human transmission occurred through droplets, contact and fomites, suggesting that the transmission mode of the COVID-19 can be similar. The basic principles to reduce the general risk of transmission of acute respiratory infections include the following:

- Avoiding close contact with people suffering from acute respiratory infections.
- Frequent hand-washing, especially after direct contact with ill people or their environment.
- Avoiding unprotected contact with farm or wild animals.
- People with symptoms of acute respiratory infection should practice cough etiquette (maintain distance, cover coughs and sneezes with disposable tissues or clothing, and wash hands).
- Within health care facilities, enhance standard infection prevention and control practices in hospitals, especially in emergency departments.

WHO does not recommend any specific health measures for travellers. In case of symptoms suggestive of respiratory illness either during or after travel, travellers are encouraged to seek medical attention and share their travel history with their health care provider.